

इंटरनेट

मानक

Disclosure to Promote the Right To Information

Whereas the Parliament of India has set out to provide a practical regime of right to information for citizens to secure access to information under the control of public authorities, in order to promote transparency and accountability in the working of every public authority, and whereas the attached publication of the Bureau of Indian Standards is of particular interest to the public, particularly disadvantaged communities and those engaged in the pursuit of education and knowledge, the attached public safety standard is made available to promote the timely dissemination of this information in an accurate manner to the public.

“जानने का अधिकार, जीने का अधिकार”

Mazdoor Kisan Shakti Sangathan

“The Right to Information, The Right to Live”

“पुराने को छोड़ नये के तरफ”

Jawaharlal Nehru

“Step Out From the Old to the New”

IS 2720-21 (1977): Methods of Test for Soils, Part XXI: Determination of Total Soluble Solids [CED 43: Soil and Foundation Engineering]



“ज्ञान से एक नये भारत का निर्माण”

Satyanarayan Gangaram Pitroda

“Invent a New India Using Knowledge”



“ज्ञान एक ऐसा खजाना है जो कभी चुराया नहीं जा सकता है”

Bhartrhari—Nitiśatakam

“Knowledge is such a treasure which cannot be stolen”

BLANK PAGE



Indian Standard

METHODS OF TEST FOR SOILS

PART XXI DETERMINATION OF TOTAL
SOLUBLE SOLIDS

(*First Revision*)

First Reprint MAY 1983

UDC 624.131.41 : 543.83



© Copyright 1978

INDIAN STANDARDS INSTITUTION
MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG
NEW DELHI 110002

Indian Standard

METHODS OF TEST FOR SOILS

PART XXI DETERMINATION OF TOTAL SOLUBLE SOLIDS

(First Revision)

Soil Engineering Sectional Committee, BDC 23

Chairman

PROF DINESH MOHAN

Representing

Central Building Research Institute (CSIR),
Roorkee

Members

ADDITIONAL CHIEF ENGINEER

Public Works Department, Government of Uttar
Pradesh

SHRI D. C. CHATURVEDI (*Alternate*)

ADDITIONAL DIRECTOR RESEARCH (RDSO) Railway Board (Ministry of Railways)

DEPUTY DIRECTOR RESEARCH
(RDSO) (*Alternate*)

PROF ALAM SINGH

University of Jodhpur, Jodhpur
Engineer-in-Chief's Branch, Army Headquarters

LT-COL AVTAR SINGH

MAJ V. K. KANITKAR (*Alternate*)

DR A. BANERJEE

Cementation Co Ltd, Calcutta

SHRI S. GUPTA (*Alternate*)

CHIEF ENGINEER (D & R)

Irrigation Department, Government of Punjab

DIRECTOR (IPRI) (*Alternate*)

SHRI K. N. DADINA

In personal capacity (P-820, ' P ' New Alipore,
Calcutta 700053)

SHRI A. G. DASTIDAR

In personal capacity (5, Hungerford Street, 12/1,
Hungerford Court, Calcutta 700017)

SHRI R. L. DEWAN

Irrigation Research Institute, Khagaul, Patna

DR G. S. DHILLON

Indian Geotechnical Society, New Delhi

SHRI A. H. DIVANJI

Asia Foundations & Construction (P) Ltd, Bombay

SHRI A. N. JANGLE (*Alternate*)

DR SHASHI K. GULHATI

Indian Institute of Technology, New Delhi

DR G. V. RAO (*Alternate*)

SHRI V. G. HEGDE

National Buildings Organization, New Delhi

SHRI S. H. BALCHANDANI (*Alternate*)

SHRI O. P. MALHOTRA

Public Works Department, Government of Punjab

SHRI J. S. MARYA

Roads Wing (Ministry of Shipping & Transport),
New Delhi

SHRI N. SEN (*Alternate*)

(Continued on page 2)

© Copyright 1978

INDIAN STANDARDS INSTITUTION

This publication is protected under the Indian Copyright Act (XIV of 1957) and reproduction in whole or in part by any means except with written permission of the publisher shall be deemed to be an infringement of copyright under the said Act.

(Continued from page 1)

<i>Members</i>	<i>Representing</i>
SHRI R. S. MELKOTE DEPUTY DIRECTOR (CSMRS) (Alternate)	Central Water Commission, New Delhi
SHRI T. K. NATARAJAN	Central Road Research Institute (CSIR), New Delhi
REPRESENTATIVE RESEARCH OFFICER	Hindustan Construction Co Ltd, Bombay Building & Roads Research Laboratory, Chandigarh
SHRI K. R. SAXENA SECRETARY	Engineering Research Laboratories, Hyderabad Central Board of Irrigation & Power, New Delhi
DEPUTY SECRETARY (Alternate)	University of Roorkee, Roorkee
*DR SHAMSHER PRAKASH DR GOPAL RANJAN (Alternate)	Irrigation Research Institute, Roorkee Public Works Department, Government of Tamil Nadu
SHRI H. D. SHARMA SUPERINTENDING ENGINEER	EXECUTIVE ENGINEER (Alternate)
SHRI B. T. UNWALLA	Concrete Association of India, Bombay
SHRI T. M. MENON (Alternate)	All India Instruments Manufacturers & Dealers Association, Bombay
SHRI H. C. VERMA	SHRI V. K. VASUDEVAN (Alternate)
SHRI D. AJITHA SIMHA, Director (Civ Engg)	Director General, ISI (Ex-officio Member)

Secretary

SHRI G. RAMAN
Deputy Director (Civ Engg), ISI

Soil Testing Procedures and Equipment Subcommittee, BDC 23 : 3

Convener

PROF ALAM SINGH
University of Jodhpur, Jodhpur

Members

SHRI AMAR SINGH	Central Building Research Institute (CSIR), Roorkee
LT-COL AVTAR SINGH	Engineer-in-Chief's Branch, Army Headquarters
MAJ V. K. KANITKAR (Alternate)	Railway Board (Ministry of Railways)
DEPUTY DIRECTOR RESEARCH (SOIL MECHANICS-I) (RDSO)	ASSISTANT DIRECTOR RESEARCH (SOIL MECHANICS-I) (RDSO) (Alternate)
SHRI R. L. DEWAN DIRECTOR (I & C)	Irrigation Research Institute, Khagaul, Patna Beas Dams Projects, Talwara Township
SHRI K. S. PREM (Alternate)	Geologist Syndicate Pvt Ltd, Calcutta
SHRI H. K. GUHA SHRI N. N. BHATTACHARAYA (Alternate)	

(Continued on page 8)

*Also represents Institution of Engineers (India), Delhi Centre.

Indian Standard

METHODS OF TEST FOR SOILS

PART XXI DETERMINATION OF TOTAL SOLUBLE SOLIDS

(First Revision)

0. FOREWORD

0.1 This Indian Standard (Part XXI) (First Revision) was adopted by the Indian Standards Institution on 30 December 1977, after the draft finalized by the Soil Engineering Sectional Committee had been approved by the Civil Engineering Division Council.

0.2 With a view to establish uniform procedures for the determination of different characteristics of soils and also for facilitating comparative studies of the results, the Indian Standards Institution is bringing out this Indian Standard Methods of test for soils (IS : 2720) which is being published in parts. Forty one parts of this standard have been published. This part [IS : 2720 (Part XXI) - 1977] deals with the method of test for the determination of total soluble solids in soils. The presence of soluble solids in a soil is one of the important aspects requiring examination since these water soluble solids greatly influence the engineering properties of the soil. Two methods for the determination of soluble solids are given. The first method, the gravimetric method (designated as the standard method), gives the percentage of soluble solids accurately in absolute terms. The second method, the conductimetric method (designated as the subsidiary method) may be used for rapid assessment.

0.2.1 This standard was first published in 1965. In this revision, the conductimetric method has been simplified by specifying the use of a conductivity meter or bridge.

0.3 In the formulation of this standard due weightage has been given to international co-ordination among the standards and practices prevailing in different countries in addition to relating it to the practices in this field in this country. This has been met by deriving assistance from the following publication:

INDIA. MINISTRY OF IRRIGATION AND POWER. CBIP. Publication No. 42 Standards for testing soils, 1963. Central Board of Irrigation and Power, New Delhi.

0.4 In reporting the result of a test or analysis made in accordance with this standard, if the final value, observed or calculated, is to be rounded off, it shall be done in accordance with IS : 2-1960*.

1. SCOPE

1.1 This standard (Part XXI) lays down the determination of total soluble solids content in soil both by gravimetric method which has been specified as the standard method and conductimetric method which has been specified as a subsidiary method.

2. GRAVIMETRIC METHOD (STANDARD METHOD)

2.1 Apparatus

2.1.1 Bottle Shaker

2.1.2 Oven — Thermostatically controlled oven to maintain the temperature between 105°C and 110°C, with interior of non-corroding material.

2.1.3 Chemical Balance — sensitive to 0.001 g.

2.1.4 Buchner or Glass Funnel — about 10 cm diameter.

2.1.5 Glazed Porcelain Dish or Glass Dish

2.1.6 Filtering Flask — capacity 500 ml.

2.1.7 Glass Bottle — capacity 250 ml, with rubber bang.

2.1.8 Measuring Cylinder — capacity 100 ml.

2.1.9 Pipette — 50 ml and 100 ml.

2.1.10 Vacuum Pump

2.1.11 Desiccator — with any desiccating agent other than sulphuric acid.

2.1.12 Thermometer

2.1.13 Water Bath

2.1.14 Filter Candle

2.1.15 Filter Paper — Whatman No. 42 or its equivalent.

*Rules for rounding off numerical values (revised).

2.2 Procedure

2.2.1 A representative sample passing a 2-mm IS Sieve from the air dried sample prepared in accordance with IS : 2720 (Part I)-1972* shall be dried to constant weight in an oven at a temperature of 105 to 110°C. Out of this, about 10 g of soil shall be accurately weighed and transferred to a 250-ml glass bottle. 100-ml of distilled water shall be added to it; the bottle shall then be stoppered and fitted in the shaker and shaken overnight (at least 15 h). The soil shall then be allowed to settle and the clear portion decanted off and filtered through Whatman No. 42 filter paper or equivalent. If by simple filtration the filtrate is not clear, the operation shall be repeated employing a filter candle with a vacuum pump.

2.2.2 Take 50-ml of the clear filtrate in a pre-weighed porcelain dish, or glass dish and concentrate by evaporating in the water bath before finally drying in the oven at 110°C. The dish shall then be cooled to room temperature in a desiccator and weighed to get the weight of the residue. The percentage of total soluble solids in the soil shall then be calculated on the basis of the soil taken for analysis.

2.3 Report

2.3.1 The results shall be reported to the nearest 0.01 percent as a percentage by weight of oven-dry soil.

2.3.2 The observations of the test shall be suitably recorded. A recommended proforma for the record is as given in Appendix A.

3. CONDUCTIMETRIC METHOD (SUBSIDIARY METHOD)

3.1 Apparatus

3.1.1 Conductivity Meter/Bridge with Known Cell Constant (Unbreakable) — The instrument is designed to carry out the measurement of specific conductance and specific resistance of various electrolytes and also measurement of ohmic resistance with measuring accuracy of ± 3 percent in 7 or 8 ranges varying from at least 1 mhos to 10 mhos.

3.1.2 Physical Balance — sensitivity 0.01 g.

3.1.3 Measuring Cylinder — capacity 50-ml.

3.1.4 Beaker — 150-ml.

3.1.5 Glass Rod or Stirrer

*Methods of test for soils: Part I Preparation of dry soil samples for various tests (first revision).

3.2 Procedure — Take 10 g of oven-dry soil sample as mentioned in 2.2. Distilled water shall be added to it and stirred intermittently with a glass rod or by any stirring machine. The soil suspension thus prepared shall be allowed to settle in the beaker for about 30 minutes. The supernatant liquid shall be transferred into another beaker and specific conductivity determined using the conductivity meter/bridge.

Note — The equipment before using, shall be checked with a saturated calcium sulphate solution which shall give specific conductivity of 2.2 mhos/cm at 25°C. If not, the conductivity cell is to be cleaned.

3.3 Report

3.3.1 The results shall be reported in millimhos/cm.

3.3.2 The results obtained by conductivity meter/bridge may be interpreted as indicated below:

<i>Conductivity meter/bridge readings</i>	<i>Total soluble solid content</i>
Below 1 millimho/cm	Normal
1 to 2 millimhos/cm	Fairly good
2 to 3 millimhos/cm	High
Above 3 millimhos	Very high

APPENDIX A

(Clause 2.3.2)

PROFORMA FOR RECORDING

Project	Details of Sample.....		
1. Sample number			
2. Mass of oven-dry soil taken (w), in g			
3. Volume of clear filtrate taken, in ml	50	50	50
4. Procelain dish or glass dish number, in g			
5. Mass of dish with residue after oven drying, in g			
6. Mass of dish, in g			
7. Mass of residue (w_1), in g			
8. Percentage of soluble solids $\frac{2 w_1}{w} \times 100$			

(Continued from page 2)

Members

DR SHASHI K. GULHATI
SHRI R. K. JAIN
DR P. K. DE (*Alternate*)
SHRI O. P. MALHOTRA
RESEARCH OFFICER (BLDG &
ROADS) (*Alternate*)
SHRI R. S. MELKOTE
DEPUTY DIRECTOR (CSMRS)
(*Alternate*)
SHRI P. JAGANNATHA RAO
SHRI V. V. S. RAO
SHRI N. SEN
SHRI P. K. THOMAS (*Alternate*)
SHRI M. M. D. SETH
DR B. L. DHAWAN (*Alternate*)
SHRI H. C. VERMA

Representing

Indian Institute of Technology, New Delhi
United Technical Consultants (P) Ltd, New Delhi
Building & Roads Research Laboratory, Chandigarh
Central Water Commission, New Delhi
Central Road Research Institute (CSIR),
New Delhi
In personal capacity (F-24, Green Park, New Delhi)
Ministry of Shipping & Transport (Roads Wing),
New Delhi
Public Works Department, Government of Uttar
Pradesh
Associated Instruments Manufacturers (I) Pvt Ltd,
New Delhi



AMENDMENT NO. 1 NOVEMBER 1983

TO

IS:2720 (Part XXI)-1977 METHODS OF TEST FOR SOILS

PART XXI DETERMINATION OF TOTAL SOLUBLE SOLIDS

(First Revision)

Addendum

(Page 5, clause 2.2.2) - Add the following new Note after 2.2.2:

'NOTE - In case the value of the solubility is more than 2 percent, the test be repeated with 50-ml of distilled water.'

(BDC 23)

Reprography Unit, ISI, New Delhi, India