

BLANK PAGE



Indian StandardREAFFIRMED

SPECIFICATION FOR MOULD ASSEMBLY FOR DETERMINATION OF PERMEABILITY OF SOILS

UDG 624-113-433



Copyright 1985

INDIAN STANDARDS INSTITUTION MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG NEW DELHI 110002

Indian Standard

SPECIFICATION FOR MOULD ASSEMBLY FOR DETERMINATION OF PERMEABILITY OF SOILS

Soil Engineering Sectional Committee, BDC 23

Chairman	Representing		
SHRI SHAMSHER PRAKASU	Central Building Research Institute (CSIR), Roorkee		
Members			
PROF ALAM SINGH	University of Jodhpur, Jodhpur		
SHRI B. ANJIAH	Engineering Research Laboratories, Government of Andhra Pradesh, Hyderabad		
CHIEF ENGINEER (IPRI)	Irrigation Department, Government of Punjab, Chandigarh		
DIRECTOR (DAM) (Alternate)	•• •		
SHRI C. S. DABKE SHRI G. V. MURTHY (Alternate)	Howe (India) Pvt Ltd, New Delhi		
Shri A. G. Dastidar	In personal capacity (5 Hungerford Court, 12/1, Hungerford Street, Calcutta)		
DIRECTOR (D&QPC)	Public Works Department, Government of Uttar Pradesh, Lucknow		
DEPUTY DIRECTOR (B&SD) (2			
DIRECTOR, IRI	Irrigation Department, Government of Uttar Pradesh, Roorkee		
SHRI A. H. DIVANJI	Asia Foundations and Construction (P) Ltd, Bombay		
SHRI A. N. JANGLE (Alternate)	,		
DIRECTOR	Central Soil & Materials Research Station, New Delhi		
DEPUTY DIRECTOR (Alternate)			
DR GOPAL RANJAN	University of Roorkee, Roorkey; and Institute of Engineers (India), Calcutta		
Shri S. Gupta Shri N. V. De-Sousa (Alternate	Cemindia Company Limited, Bombay		
SHRI M. IYENGAR	Engineers India Limited, New Delhi		
Shri Ashok K. Jain Shri Vijay K. Jain (Alternate)	G. S. Jain and Associates, New Delhi		

(Continued on page 2)

C Copyright 1985

INDIAN STANDARDS INSTITUTION

This publication is protected under the *Indian Copyright Act* (XIV of 1957) and reproduction in whole or in part by any means except with written permission of the publisher shall be deemed to be an infringement of copyright under the said Act.

IS: 11209 - 1985

(Continued from page 1)

(donothaca ji one page 1)	
Members	Representing
JOINT DIRECTOR RESEARCH (GE)-I, RDSO JOINT DIRECTOR RESEARCH	Ministry of Railways
(GE)-II RDSO (Alternate) Shri A. V. S. R. Murty Shri D. R. Narahari Shri T. K. Natrajan	Indian Geotechnical Society, New Delhi Central Building Research Institute (CSIR), Roorkee Central Road Research Institute (CSIR),
SHRI RANJIT SINGH	New Delhi Ministry of Defence (R&D)
Shri V. B. Ghorpade (Alternat Dr G. V. Rao Dr K. K. Gupta (Alternate)	(a) Indian Institute of Technology, New Delhi
RESEARCH OFFICER (B&RRL)	Public Works Department, Government of Punjab, Chandigarh
SECRETARY DIRECTOR (C) (Alternate) SHRI N. SIVAGURU	Central Board of Irrigation and Power, New Delhi Roads Wing (Ministry of Shipping and Trans-
Shri U. Jayakodi (Alternate)	port), New Delhi
SHRI K. S. SRINIVASAN SHRI SUNIL BERRY (Alternate)	National Buildings Organization, New Delhi
Dr N. Som Shri N. Sobramanyam	Jadavpur University, Calcutta Karnataka Engineering Research Station, Krish- narajasagar
COL R. R. SUDMINDRA Shri S. S. Joshi (Alternate)	Ministry of Defence (Engineer-in-Chief's Branch)
SUPERINTENDING ENGINEER (P&DC) EXECUTIVE ENGINEER (SMRD (Alternate)	Public Works Department, Government of Tamil Nadu, Madras)
SHRI H. C. VERMA	All India Instrument Manufacturers' and Dealers Association, Bombay
SHRI H. K. GUHA (Alternate) SHRI G. RAMAN, Director (Civ Engg)	Director General, ISI (Ex-officio Member)
	Secretary
	I K. M. Матник y Director (Civ Engg), ISI
Soil Testing Instruments an	d Equipment Subcommittee, BDC 23:6
Convener	
SHRI H. C. VERMA	Associated Instrument Manufacturers (I) Pvt Ltd, New Delhi
Members Shri M. D. Nair (Alternate to Shri H. C. Verma)	Communication Assessed Description
SHEI AMED KRISHNA SHRI RAKESH GOEL (Alternate)	Saraswati Engineering Agency, Roorkee (Continued on page 9)

Indian Standard

SPECIFICATION FOR MOULD ASSEMBLY FOR DETERMINATION OF PERMEABILITY OF SOILS

O. FOREWORD

- **0.1** This Indian Standard was adopted by the Indian Standards Institution on 25 January 1985 after the draft finalized by the Soil Engineering Sectional Committee had been approved by the Civil Engineering Division Council.
- 0.2 The Institution has already published a series of Indian Standards on methods of testing soils. It has been recognized that reliable and intercomparable test results can be obtained only with standard testing equipment capable of giving the desired level of accuracy. The concerned Committee has, therefore, decided to bring out a series of specifications covering the requirements of equipment used for testing soils in order to encourage their development and manufacture in the country. The equipment covered in this standard is used for determination of coefficient of permeability of soils as covered in IS: 2720 (Part 17).
- **0.3** In reporting the result of a test or analysis made in accordance with this standard, if the final value, observed or calculated, is to be rounded off, it shall be done in accordance with IS: 2 1960*.

1. SCOPE

1.1 This standard covers the details of mould, drainage base, drainage cap, extension collar, metal ring and rod used as the mould assembly for laboratory determination of the coefficient of permeability of soils.

2. DIMENSIONS

2.1 Dimensions with tolerances of different component parts of the equipment shall be as given in Fig. 1 to 6. Except where tolerances are specially mentioned against the dimensions, all dimensions shall be taken as nominal and tolerances as given in IS: 2102 (Part 1)-1980† of medium class shall apply.

^{*}Rules for rounding off numerical values (revised).

[†]General tolerances for dimensions and form and position: Part 1 General tolerances for linear and angular dimensions (second revision).

IS: 11209 - 1985

3. MATERIALS

3.1 The materials for construction of the various equipment parts shall be as given in Table 1.

TABLE 1 METERIALS FOR CONSTRUCTION OF DIFFERENT EQUIPMENT PARTS

Sr. No.	EQUIPMENT	MATERIAL	SPECIAL REQUIREMENTS	RELEVANT Indian Standard
i)	Mould	Brass/ Gun Metal		IS: 292-1983* IS: 318-1981†
ii)	Drainage base	Brass/ Gun Metal		IS: 292-1961* IS: 318-1981†
iii)	Drainage cap	Brass/ Gun Metal		IS: 292-1961* IS: 318-1981†
iv)	Metal ring	Brass/ Gun Metal		IS: 292-1961* IS: 318-1981†
v)	Tie rod and fly nut	Mild Steel	Nickel/ chromoplated	TS: 4367-1967‡
vi)	Extension collar	Brass/ Gun Metal		IS: 292-1961* IS: 318-1981†

^{*}Specification for leaded bruss ingots and castings (second revision).

4. CONSTRUCTION

4.1 The mould, drainage base and cap, metal ring, tie rod, extension collar shall be constructed as per details given in Fig. 1 to 7. The complete assembly shall be leakproof and tested for an internal hydraulic pressure of 100 kPa.

5. MARKING

- **5.1** The following information shall be clearly and indelibly marked on each equipment:
 - a) Name of the manufacturer or his registered trade-mark or both,
 - b) Date of manufacture, and
 - c) Type of material.

[†]Specification for leaded tin bronze ingots and castings (second revision).

^{\$}Specification for alloy and tool steel forgings for industrial use.

5.1.1 The equipment may also be marked with the ISI Certification Mark.

Note — The use of the ISI Certification Mark is governed by the provisions of the Indian Standards Institution (Certification Marks) Act and the Rules and Regulations made thereunder. The ISI Mark on products covered by an Indian Standard conveys the assurance that they have been produced to comply with the requirements of that standard under a well-defined system of inspection, testing and quality control which is devised and supervised by ISI and operated by the producer. ISI marked products are also continuously checked by ISI for conformity to that standard as a further safeguard. Details of conditions, under which a licence for the use of the ISI Certification Mark may be granted to manufacturers or processors, may be obtained from the Indian Standards Institution.






Fig. 1 Permeability Cell Assembly




All dimensions in millimetres.


Fig. 2 Mould



All dimensions in millimetres.


Fig. 3 Drainage Base





All dimensions in millimetres.


Fig. 4 Drainage Cap



All dimensions in millimetres.


Fig. 5 METAL RING

ÍS: 11209 - 1985



All dimensions in millimetres.

Fig. 6 Tie Rod



All dimensions in millimetres.

Fig. 7 Extension Collar

(Continued from page 2)

Members Representing

DEPUTY DIRECTOR RESEARCH Ministry of Railways (GE)-III

JOINT DIRECTOR RESEARCH (GE)-II

(Alternate)

DIRECTOR (CSMRS) Central Soil & Materials Research New Delhi

DEPUTY DIRECTOR (CSMRS) (Alternate)

SHRI H. K. GUHA Geologists Syndicate Pvt Ltd, Calcutta

SHRI A. BHATTACHARYA (Alternate)

DR S, C. HANDA University of Roorkee, Roorkee

SHRI P. K. JAIN (Alternate)

SHRI VIJAY K. TAIN G. S. Jain Associates, New Delhi Central Road Research Institute (CSIR), New

DR B. R. MALHOTRA

Delhi K. N. Dadina Foundation Engineers, Calcutta Ministry of Defence

SHRI S. K. MITRA BRIG M. K. PAUL

SHRI M. P. SHUKLA (Alternate) DR T. RAMAMURTHY

SHRI RESHAM SINGH

Indian Institute of Technology, Delhi Hydraulic & Engineering Instruments Company, New Delhi

SHRI JATINDER SINGH (Alternate)

SHRI S. VENKATESAN

Central Building Research Institute (CSIR), Roorkee

SHRI M. R. SENEJA (Alternate)

INTERNATIONAL SYSTEM OF UNITS (SI UNITS)

Base Units

Quantity	Unit	Symbol
Length	metre	m
Mass	kilogram	kg
Time	second	8
Electric current	ampere	A
Thermodynamic temperature	kelvin	К
Luminous Intensity	candela	cd
Amount of substance	mole	mol

Supplementary Units

Quantity	Unit	Symbol
Plane angle	radian	rad
Solid angle	steradian	st

Derived Units

Quantity	Unit	Symbol	Definition
Force	newton	N	$1 N = 1 kg.m/s^2$
Energy	joule	J	1 J = 1 N.m
Power	watt	w	1 W = 1 J/s
Flux	weber	Wъ	1 Wb = 1 V.s
Flux density	tesl a	T	$1 T = 1 Wb/m^2$
Frequency	hertz	Hz	$1 \text{ Hz} = 1 \text{ c/s } (s^{-1})$
Electric conductance	siemen s	S	1 S = 1 A/V
Electromotive force	volt	V	1 V = 1 W/A
Pressure, stress	pascal	Pa	1 Pa = 1 N/m ³