

इंटरनेट

मानक

### Disclosure to Promote the Right To Information

Whereas the Parliament of India has set out to provide a practical regime of right to information for citizens to secure access to information under the control of public authorities, in order to promote transparency and accountability in the working of every public authority, and whereas the attached publication of the Bureau of Indian Standards is of particular interest to the public, particularly disadvantaged communities and those engaged in the pursuit of education and knowledge, the attached public safety standard is made available to promote the timely dissemination of this information in an accurate manner to the public.

“जानने का अधिकार, जीने का अधिकार”

Mazdoor Kisan Shakti Sangathan

“The Right to Information, The Right to Live”

“पुराने को छोड़ नये के तरफ”

Jawaharlal Nehru

“Step Out From the Old to the New”

IS 1200-26 (1987): Method of measurement of building and civil engineering work, Part 26: Acid resistant lining [CED 44: Methods of Measurement of Works of Civil Engineering]



“ज्ञान से एक नये भारत का निर्माण”

Satyanarayan Gangaram Pitroda

“Invent a New India Using Knowledge”



“ज्ञान एक ऐसा खजाना है जो कभी चुराया नहीं जा सकता है”

Bhartrhari—Nitiśatakam

“Knowledge is such a treasure which cannot be stolen”



BLANK PAGE



IS : 1200 ( Part 26 ) - 1987  
( Reaffirmed 1992 )

*Indian Standard*

METHOD OF MEASUREMENT OF  
BUILDING AND CIVIL ENGINEERING WORK

**PART 26 ACID RESISTANT LINING**

( Third Reprint AUGUST 1998 )

UDC 69.003.12 : 725.4 : 69.034.92

© *Copyright* 1987

**BUREAU OF INDIAN STANDARDS**  
MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG  
NEW DELHI 110002

**Gr 2**

*June* 1987

*Indian Standard*METHOD OF MEASUREMENT OF  
BUILDING AND CIVIL ENGINEERING WORK**PART 26 ACID RESISTANT LINING**

Method of Measurement of Works of Civil Engineering  
( Excluding River Valley Project ), BDC 44

*Chairman*

SHRI A. C. PANCHDEHARI

*Representing*

Central Public Works Department, Bombay

*Members*

ADHISHASI ABHAYANTA ( PARSHIKSAN )	Public Works Department, Government of Uttar Pradesh, Lucknow
DEPUTY DIRECTOR (GAWESHAN)	( Alternate )
SHRI B. G. AHUJA	Builders Association of India, Bombay
SHRI K. D. ARCOT	Engineers India Limited, New Delhi
SHRI T. V. SITARAM ( Alternate )	
SHRI N. K. ARORA	Bhakra Management Board, Nangal Township
SHRI R. M. JOLLY ( Alternate )	
SHRI G. B. BAJAJ	Bombay Port Trust, Bombay
SHRI P. BANERJEE	Ministry of Shipping and Transport ( Roads Wing )
SHRI R. G. THAWANI ( Alternate )	
SHRI G. K. DESHPANDE	Public Works Department, Government of Maharashtra, Bombay
DIRECTOR ( IRI )	Irrigation Department, Government of Uttar Pradesh, Lucknow
DIRECTOR ( RATES AND COSTS )	Central Water Commission, New Delhi
DEPUTY DIRECTOR ( RATES AND COSTS ) ( Alternate )	
SHRI P. N. GADI	Institution of Surveyors, New Delhi
SHRI D. S. TAMBANKAR ( Alternate )	
SHRI N. M. DASTANE	Hindustan Construction Company Limited, Bombay
SHRI G. B. JAHAGIRDAR	National Industrial Development Corporation Limited, New Delhi
JOINT DIRECTOR ( D )	National Buildings Organization, New Delhi,
SHRI A. K. LAL ( Alternate )	

( Continued on page 2 )

© Copyright 1987

BUREAU OF INDIAN STANDARDS

This publication is protected under the *Indian Copyright Act* ( XIV of 1957 ) and reproduction in whole or in part by any means except with written permission of the publisher shall be deemed to be an infringement of copyright under the said Act.

( Continued from page 1 )

*Members*

SHRI ASHIT RANJAN KAR  
SHRI H. K. KHOSLA  
SUPERINTENDING ENGINEER  
( DESIGN ) ( *Alternate* )  
SHRI S. K. LAHA  
SHRI R. P. LAHIRI  
SHRI K. K. MADHOK  
SHRI R. K. BAHL ( *Alternate* )  
SHRI DATTA S. MALIK  
SHRI R. S. MURTHY  
SHRI H. D. MATANGE ( *Alternate* )  
SHRI C. B. PATEL

SHRI B. C. PATEL ( *Alternate* )  
SHRI K. A. PATNAIK

SHRI V. G. PATWARDHAN

SHRI C. G. KARMARKAR ( *Alternate* )

DR R. B. SINGH  
SHRI R. A. SUBRAMANIAM

SUPERINTENDING SURVEYOR OF  
WORKS ( AVIATION )

SURVEYOR OF WORKS I ( AVIATION ) ( *Alternate* )

SHRI G. RAMAN,  
Director ( Civ Engg )

*Representing*

Calcutta Port Trust, Calcutta  
Haryana Irrigation Department, Chandigarh

Institution of Engineers ( India ), Calcutta  
Gammon Dunkerley Company Limited, Bombay  
MES Builders Asosiation of India ( Regd ),

Indian Institute of Architects, Bombay  
Gammon India Limited, Bombay

M. N. Dastur Company Private Limited, Calcutta

Bureau of Public Enterprises ( Ministry of  
Finance ), New Delhi  
Engineer-in-Chief's Branch ( Ministry of  
Defence ), New Delhi

Banaras Hindu University, Banaras  
Hindustan Steel Works Construction Ltd,  
Calcutta

Central Public Works Department, New Delhi

Director General, BIS ( *Ex-officio-Member* )

*Secretary*

SHRI K. M. MATHUR  
Joint Director ( Civ Engg ), BIS

*Indian Standard*METHOD OF MEASUREMENT OF  
BUILDING AND CIVIL ENGINEERING WORK

## PART 26 ACID RESISTANT LINING

## 0. FOREWORD

**0.1** This Indian Standard (Part 26) was adopted by the Indian Standards Institution on 20 March 1987, after the draft finalized by the Method of Measurement of Works of Civil Engineering (Excluding River Valley Projects) Sectional Committee had been approved by the Civil Engineering Division Council.

**0.2** Measurement occupies a very important place in the planning and execution of any civil engineering work from the time of first estimates to the final completion and settlement of payments of project. Methods followed for measurement are not uniform and considerable differences exist between practices followed by different construction agencies and also between various Central and State Government Departments, and their undertakings. While it is recognized that each system of measurement has to be specifically related to administrative and financial organizations within a department responsible for the work, a unification of the various systems at technical levels has been accepted as very desirable, specially as it permits a wider range of operation for civil engineering contractors and eliminates ambiguities and misunderstandings arising out of inadequate understanding of various systems followed.

**0.3** Since different trades are not related to one another, the Sectional Committee decided that for each separate standards shall be issued as different parts as it would be helpful to users in using the specific standard. This Part 26 covers method of measurement of acid resistant lining applicable to buildings as well as to civil engineering works.

**0.4** Acid resistant lining is required to be done in some of the industrial buildings. The method of measurement of such type of lining varies from organization to organization. The technical committee responsible for formulation of this standard has, after considering practices being followed by some of the major organizations decided to prepare this standard which adopts simplest type of measurement.

**0.5** For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a measurement, shall be rounded off in accordance with IS:2-1960\*. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

---

## 1. SCOPE

**1.1** This standard ( Part 26 ) covers the method of measurement of acid resistant lining.

## 2. GENERAL

**2.1 Clubbing of Items** — Items may be clubbed together provided that the break-up of clubbed items is agreed to be on the basis of detailed description of the items.

**2.2 Book of Dimensions** — In booking dimensions, the order shall be consistent and generally in the sequence of length, breadth or width and height or depth or thickness.

**2.3 Description of Items** — The description of each item shall, unless otherwise stated, be held to include wherever necessary conveyance and delivery, handling, unloading, storing, fabrication, hoisting, all labour for finishing to required shape and size, setting, fitting and fixing in position, straight outting and waste, return of packings, and other incidental operations.

**2.4 Dimension** — All work shall be measured net, as laid, in the decimal system as under, unless otherwise stated hereinafter:

- a) dimensions shall be measured to the nearest 0.01 m, and
- b) areas shall be worked out to nearest 0.01 m<sup>2</sup>.

**2.5 Bills of Quantities** — Items of work shall fully describe the materials and workmanship, and accurately represent the work to be executed.

**2.6 Cuttings** — All cuttings shall, unless otherwise stated, be held to include the consequent waste.

---

\*Rules for rounding off numerical values ( revised ).

**2.7 Mode of Measurement** — All work shall be measured in square metres unless otherwise stated. Deductions for ends of dissimilar materials or other articles embedded shall not be made for areas not exceeding  $0.1 \text{ m}^2$ .

**2.8** Expansion and dummy joints, and the filler shall be included in the description of item.

**2.9** Work in repairs shall be so described and preparation of old surfaces to receive such work shall be included in the description.

**2.10** Work in isolated areas not exceeding  $1 \text{ m}^2$  each shall be so described stating the nature thereof.

**2.11** Work to a pattern or in more than one colour shall be so described stating the nature thereof.

**2.12** Curved work, conical work and spherical work shall be described separately stating the radius.

**2.12.1** Labour in such works shall be so described and measured separately.

### **3. METHOD OF MEASUREMENT**

**3.1 Floor Idning** — It shall be measured on the basis of finished surface measurement.

**3.2 Drain Lining** — It shall be measured as finished surface taking width as perimeter at the finished level.

**3.3 Tanks with Caping** — The method of measurement will be same as in 3.2.

**3.4 Tanks Without Caping** — The method of measurement will be same as in 3.2.

**3.5 Rectangular Pedestals and Foundations** — The work shall be measured based on finished surface taking width as perimeter of the finished surface.

**3.6 Circular Pedestals or Foundations** — It shall be measured based on the finished surface taking width at the finished circumference.

**3.7 Conical Portions** — The superficial area of each side shall be measured based on the dimensions at finished surface taking width as length of curved portion along curvature.

**3.8 Hemispherical Area** — The superficial area on the finished surface shall be taken, width being taken as perimeter of the finished surface.

# BUREAU OF INDIAN STANDARDS

## Headquarters:

Manak Bhavan, 9 Bahadur Shah Zafar Marg, NEW DELHI 110002  
Telephones: 323 0131, 323 3375, 323 9402  
Fax : 91 11 3234062, 91 11 3239399, 91 11 3239382

Telegrams : Manaksanstha  
(Common to all Offices)

## Central Laboratory:

Plot No. 20/9, Site IV, Sahibabad Industrial Area, SAHIBABAD 201010 Telephone 8-77 00 32

## Regional Offices:

Central : Manak Bhavan, 9 Bahadur Shah Zafar Marg, NEW DELHI 110002 323 76 17  
\*Eastern : 1/14 CIT Scheme VII M, V.I.P. Road, Maniktola, CALCUTTA 700054 337 86 62  
Northern : SCO 335-336, Sector 34-A, CHANDIGARH 160022 60 38 43  
Southern : C.I.T. Campus, IV Cross Road, CHENNAI 600113 235 23 15  
†Western : Manakalaya, E9 Behind Marol Telephone Exchange, Andheri (East), 832 92 95  
MUMBAI 400093

## Branch Offices:

'Pushpak', Nurmohamed Shaikh Marg, Khanpur, AHMEDABAD 380001 550 13 48  
‡Peenya Industrial Area, 1st Stage, Bangalore - Tumkur Road, 839 49 55  
BANGALORE 560058  
Gangotri Complex, 5th Floor, Bhadbhada Road, T. T. Nagar, BHOPAL 462003 55 40 21  
Plot No. 62-63, Unit VI, Ganga Nagar, BHUBANESHWAR 751001 40 36 27  
Kalaikathir Buildings, 670 Avinashi Road, COIMBATORE 641037 21 01 41  
Plot No. 43, Sector 16 A, Mathura Road, FARIDABAD 121001 8-28 88 01  
Savitri Complex, 116 G. T. Road, GHAZIABAD 201001 8-71 19 96  
53/5 Ward No. 29, R. G. Barua Road, 5th By-lane, GUWAHATI 781003 54 11 37  
5-8-58C, L. N. Gupta Marg, Nampally Station Road, HYDERABAD 500001 20 10 83  
E-52, Chitaranjan Marg, C-Scheme, JAIPUR 302001 37 29 25  
117/418 B, Sarvodaya Nagar, KANPUR 208005 21 68 76  
Seth Bhawan, 2nd Floor, Behind Leela Cinema, Naval Kishore Road, 23 89 23  
LUCKNOW 226001  
Pattiputra Industrial Estate, PATNA 800013 26 23 05  
T. C. No. 14/1421, University P. O. Palayam, 6 21 17  
THIRUVANANTHAPURAM 695034  
NIT Building, Second Floor, Gokulpat Market, NAGPUR 440010 52 51 71  
Institution of Engineers ( India ) Building, 1332 Shivaji Nagar, PUNE 411005 32 36 35

\*Sales Office is at 5 Chowringhee Approach, P. O. Princep Street, CALCUTTA 700072 27 10 85

†Sales Office is at Novelty Chambers, Grant Road, MUMBAI 400007 309 65 28

‡Sales Office is at 'F' Block, Unity Building, Narashimaraja Square, BANGALORE 560002 222 39 71