

इंटरनेट

मानक

Disclosure to Promote the Right To Information

Whereas the Parliament of India has set out to provide a practical regime of right to information for citizens to secure access to information under the control of public authorities, in order to promote transparency and accountability in the working of every public authority, and whereas the attached publication of the Bureau of Indian Standards is of particular interest to the public, particularly disadvantaged communities and those engaged in the pursuit of education and knowledge, the attached public safety standard is made available to promote the timely dissemination of this information in an accurate manner to the public.

“जानने का अधिकार, जीने का अधिकार”

Mazdoor Kisan Shakti Sangathan

“The Right to Information, The Right to Live”

“पुराने को छोड़ नये के तरफ”

Jawaharlal Nehru

“Step Out From the Old to the New”

IS 1626-2 (1994): Asbestos cement building pipes and pipe fittings, gutters and gutter fittings and roofing fittings, Part 2: Gutter and gutter fittings) [CED 53: Cement Matrix Products]



“ज्ञान से एक नये भारत का निर्माण”

Satyanarayan Gangaram Pitroda

“Invent a New India Using Knowledge”



“ज्ञान एक ऐसा खजाना है जो कभी चुराया नहीं जा सकता है”

Bhartrhari—Nitiśatakam

“Knowledge is such a treasure which cannot be stolen”

BLANK PAGE



भारतीय मानक

एसबेस्टॉस सीमेंट के भवन निर्माण पाइप तथा
पाइप फिटिंग, गटर तथा गटर फिटिंग तथा छत निर्माण
फिटिंग — विशिष्ट

भाग 2 गटर तथा गटर फिटिंग

(दूसरा पुनरीक्षण)

Indian Standard

ASBESTOS CEMENT BUILDING PIPES
AND PIPE FITTINGS, GUTTERS AND GUTTER
FITTINGS AND ROOFING FITTINGS —
SPECIFICATION

PART 2 GUTTERS AND GUTTER FITTINGS

(*Second Revision*)

First Reprint NOVEMBER 1996

UDC 696.121 : 666 961

© BIS 1994

BUREAU OF INDIAN STANDARDS
MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG
NEW DELHI 110002

FOREWORD

This Indian Standard (Part 2) (Second Revision) was adopted by the Bureau of Indian Standards, after the draft finalized by the Cement and Concrete Sectional Committee had been approved by the Civil Engineering Division Council.

Asbestos cement gutters and gutter fittings are extensively used for disposal of rain water from roof of buildings. The lightness of asbestos cement products and their durability make them suitable for all normal building purposes.

This standard was first published in 1960 to cover requirements of asbestos cement building pipes, sanitary pipes, pipe fittings, gutters and gutter fittings. The standard was first revised in 1980 by splitting into three parts based on the types of fittings for ease in the use of this standard. Part 1 of this standard covers building pipes and pipe fittings: Part 2 covers gutters and gutter fittings and Part 3 covers roofing fittings.

This revision has been taken up on the basis of experience gained in the use of this standard and also with a view to bringing it in line with current practices in the manufacture of asbestos cement gutter and gutter fittings. In this revision, impermeability test has been included and water absorption test and acid resistance test have been deleted. Reference to IS 5913 : 1989 'Asbestos cement products – Methods of test (*first revision*)' has been made to align the test methods with the latest practice.

The composition of the committee responsible for the formulation of this standard is given in Annex B.

For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a test or analysis, shall be rounded off in accordance with IS 2 : 1960 'Rules for rounding off numerical values (*revised*)'. The number of significant places retained in the rounded off value should be the same as that of the specified value in this Standard.

Indian Standard

ASBESTOS CEMENT BUILDING PIPES AND PIPE FITTINGS, GUTTERS AND GUTTER FITTINGS AND ROOFING FITTINGS — SPECIFICATION

PART 2 GUTTERS AND GUTTER FITTINGS

(Second Revision)

1 SCOPE

This standard (Part 2) covers the requirements of asbestos cement gutters and gutter fittings used in buildings.

2 REFERENCES

The Indian Standards listed in Annex A are necessary adjuncts to this standard.

3 COMPOSITION

The material used in the manufacture of asbestos cement gutters and gutter fittings shall be composed of an inert aggregate consisting of clean asbestos fibre including suitable other fibres cemented together by ordinary Portland cement conforming to IS 269 : 1989 or IS 8112 : 1989 or IS 12269 : 1987 or Portland slag cement conforming to IS 455 : 1989 or Portland pozzolana cement conforming to IS 1489 (Part 1) or IS 1489 (Part 2) : 1991 or rapid hardening Portland cement conforming to IS 8041 : 1990. Pozzolan material, fillers and pigments which are compatible with asbestos cement may be added.

NOTE — In case of Portland pozzolana cement and Portland slag cement, addition of pozzolan materials shall not be permitted.

4 GENERAL QUALITY AND WORKMANSHIP

The material used in the manufacture of asbestos cement gutters and gutter fittings shall be intimately mixed. The interior surface of the gutters and their fittings shall be regular and uniform.

The manufacturer shall ensure that the gutter fittings reasonably match with the gutters of respective sizes.


5 DIMENSIONAL AND PHYSICAL REQUIREMENTS

5.1 Dimensional Requirements

The dimensions for the various gutters shall be in accordance with Fig. 1 to 3 and Tables 1 to 4.


5.1.1 Tolerances

5.1.1.1 The tolerance on length of gutters and gutter fittings shall be ± 10 mm.




All dimensions in millimetres.

FIG. 1 VALLEY GUTTER



All dimensions in millimetres.
FIG. 2 BOUNDARY WALL GUTTER



All dimensions in millimetres.
FIG. 3 HALF ROUND GUTTER

Table 1 Details of Figures and Tables for Various Asbestos Cement Gutters and Gutter Fittings
(Clause 5.1)

Sl No.	Description of Item	Code No.	Figure No.	Table No.
(1)	(2)	(3)	(4)	(5)
i)	Valley gutter	V	1	2
ii)	Boundary wall gutter	BW	2	3
iii)	Half round gutter	H	3	4

Table 2 Dimensions of Valley Gutter
(Clause 5.1, Table 1 and Fig. 1)

All dimensions in millimetres.				
Nominal Size	A	B	C	D
915 × 205 × 230	915	205	230	12.5
610 × 150 × 230	610	150	230	12.5
455 × 125 × 150	455	125	150	12.5
405 × 125 × 255	405	125	255	12.5

NOTE — Manufactured in 1 830 mm lengths.

Table 3 Dimensions of Boundary Wall Gutter
(Clause 5.1, Table 1 and Fig. 2)

All dimensions in millimetres.				
Nominal Size	A	B	C	D
510 × 150 × 255	510	150	255	12.5
455 × 150 × 305	455	150	305	12.5
305 × 150 × 230	305	150	230	12.5
280 × 125 × 180	280	125	180	12.5

NOTE — Manufactured in 1 830 mm lengths.

Table 4 Dimensions of Half Round Gutter
(Clause 5.1, Table 1 and Fig. 3)

All dimensions in millimetres.			
Nominal Size	A	C	S
305	305	9.5	100
230	230	9.5	100
150	150	9.5	70

5.1.1.2 The tolerance on profile of gutters and gutter fittings shall be ± 10 mm.

5.1.1.3 The tolerance on thickness of gutters and gutter fittings shall be ± 1.5 mm.

5.2 Shape

The shape of gutter fittings shall be as per Fig. 4 to 7. Dimensions of gutter fittings shall be declared by the manufacturer.

5.3 Impermeability Test

When tested for impermeability according to the Method 1 described in IS 5913 : 1989, the specimens shall not show during 24 h of test any formation of drops of water, except traces of moisture on the lower surface. This test on gutters may be done at any suitable place on the gutter without cutting any separate test piece.

6 SAMPLING AND NUMBER OF TESTS

6.1 Scale of Sampling

6.1.1 Lot

In any consignment, all the gutters of the same type and of the same thickness and manufactured under similar conditions of production shall be grouped together to constitute a lot.

6.1.1.1 The conformity of a lot to the requirements of this specification shall be ascertained on the basis of tests on the gutters selected from it.

6.1.2 The number of gutters to be selected at random from the lot shall be in accordance with Table 5.

Table 5 Sampling Size

Lot Size	Sample Size
Up to 500	3
501 to 1 000	5
1 001 to 1 500	7
1 501 and above	10







FIG. 4 DROP END AND NOZZLE FOR BOUNDARY WALL AND VALLEY GUTTERS



DROP END WITH SPIGOT




DROP END WITH SOCKET



NOZZLE

FIG. 5 DROP END AND NOZZLE FOR HALF ROUND GUTTER




STOP END FOR SOCKET

STOP END FOR SPIGOT

UNION CLIP

FOR HALF ROUND GUTTERS




STOP END



UNION CLIP

FOR BOUNDARY AND VALLEY GUTTERS

FIG. 6 STOP END AND UNION CLIP FOR GUTTERS



7A Angle for Boundary Wall Gutters



7B Angle for Half Round Gutters

FIG. 7 ANGLE FOR GUTTER

6.2 Number of Tests

6.2.1 All the gutters selected as in 6.1.2 shall be examined for visual defects and impermeability test.

7 MANUFACTURER'S CERTIFICATE

The manufacturer shall satisfy himself that his asbestos cement gutters conform to the requirements of this standard, and if required shall furnish a certificate to this effect to the purchaser or his representative.

8 MARKING

8.1 All gutters and gutter fittings shall be clearly and indelibly marked with the following information:

- a) Indication of the source of manufacture,
- b) Code No. of the gutter or gutters,

c) Date of manufacture, and

d) Pictorial warning signs as given in IS 12081 (Part 2) : 1987.

8.2 BIS Certification Marking

Each pipe or pipe fittings may also be marked with the Standard Mark.

8.2.1 The use of Standard Mark is governed by the provisions of Bureau of Indian Standards Act, 1986 and the Rules and Regulations made thereunder. The details of conditions under which the licence for the use of Standard Mark may be granted to manufacturers or producers may be obtained from the Bureau of Indian Standards.

9 SAFETY RULES SHEET

All delivery of asbestos cement gutters and gutter fittings shall be accompanied by a safety rules sheets as given in IS 11769 (Part 1) : 1987.

ANNEX A

(Clause 2)

LIST OF REFERRED INDIAN STANDARDS

<i>IS No.</i>	<i>Title</i>	<i>IS No.</i>	<i>Title</i>
269 : 1989	33 Grade ordinary Portland cement (<i>fourth revision</i>)	8041 : 1989	Rapid hardening Portland cement (<i>second revision</i>)
455 : 1989	Portland slag cement (<i>fourth revision</i>)	8112 : 1989	Specification for 43 grade ordinary Portland cement
1489 (Part 1) : 1991	Portland pozzolana cement: Part 1 Flyash based (<i>third revision</i>)	11769 (Part 1) : 1987	Guidelines for safe use of products containing asbestos: Part 1 Asbestos cement products
1489 (Part 2) : 1991	Portland pozzolana cement: Part 2 Calcined clay based (<i>third revision</i>)	12081 (Part 2) : 1987	Recommendations for pictorial warning signs and precautionary notices for asbestos and products containing asbestos: Part 2 Asbestos and its products
5913 : 1989	Methods of test for asbestos cement product (<i>first revision</i>)		
7639 : 1975	Methods of sampling of asbestos cement products	12269 : 1987	Specification for 53 grade ordinary Portland cement

ANNEX B

(Foreword)

COMMITTEE COMPOSITION

Cement and Concrete Sectional Committee, CED 2

<i>Chairman</i>	<i>Representing</i>
DR H. C. VISVESVARAYA	In personal capacity (<i>University of Roorkee, Roorkee 247 667</i>)
<i>Members</i>	
SHRI H. BHATTACHARYA	Orissa Cement Limited, New Delhi
SHRI G. R. BHARTIKAR	B. G. Shirke and Co, Pune
SHRI U. N. RATH (<i>Alternate</i>)	
DR A. K. CHATTERJEE	The Associated Cement Companies Ltd, Bombay
SHRI S. H. SUBRAMANIAN (<i>Alternate</i>)	
CHIEF ENGINEER (DESIGN)	Central Public Works Department, New Delhi
SUPERINTENDING ENGINEER (S&S) (<i>Alternate</i>)	
CHIEF ENGINEER, NAVAGAM DAM	Sardar Sarovar Narmada Nigam Ltd, Gandhinagar
SUPERINTENDING ENGINEER, QCC (<i>Alternate</i>)	
CHIEF ENGINEER (RESEARCH-CUM-DIRECTOR)	Irrigation and Power Research Institute, Amritsar
RESEARCH OFFICER (CONCRETE TECHNOLOGY) (<i>Alternate</i>)	
DEPUTY DIRECTOR (I)	National Buildings Organization, New Delhi
ASSISTANT DIRECTOR (EH) (<i>Alternate</i>)	
DIRECTOR	A. P. Engineering Research Laboratories, Hyderabad
JOINT DIRECTOR (<i>Alternate</i>)	
DIRECTOR (CMDD) (N&W)	Central Water Commission, New Delhi
DEPUTY DIRECTOR (CMDD) (NW&S) (<i>Alternate</i>)	
SHRI K. H. GANGWAL	Hyderabad Industries Ltd, Hyderabad
SHRI V. PATTABHI (<i>Alternate</i>)	
SHRI V. K. GHANESKAR	Structural Engineering Research Centre (CSIR), Ghaziabad
SHRI S. GOPINATH	The India Cements Ltd, Madras
SHRI R. TAMILAKARAN (<i>Alternate</i>)	
SHRI S. K. GUHA THAKURTA	Gannon Dunkerley and Co Ltd, Bombay
SHRI S. P. SANKARANARAYANAN (<i>Alternate</i>)	
DR IRSHAD MASOOD	Central Building Research Institute (CSIR), Roorkee
DR MOHAMMAD KHALID (<i>Alternate</i>)	
SHRI N. C. JAIN	Cement Corporation of India, New Delhi
DR S. P. GHOSH (<i>Alternate</i>)	
JOINT DIRECTOR STANDARDS (B&S) (CB-I)	Research, Designs and Standards Organization (Ministry of Railways), Lucknow
JOINT DIRECTOR STANDARDS (B&S) (CB-II) (<i>Alternate</i>)	
SHRI N. G. JOSHI	Indian Hume Pipes Co Ltd, Bombay
SHRI P. D. KELKAR (<i>Alternate</i>)	
SHRI D. K. KANUNGO	National Test House, Calcutta
SHRI B. R. MEENA (<i>Alternate</i>)	
SHRI P. KRISHNAMURTHY	Larsen and Toubro Limited, Bombay
SHRI S. CHAKRAVARTHY (<i>Alternate</i> I)	
SHRI C. REDDY (<i>Alternate</i> II)	
DR A. G. MADHAVA RAO	Structural Engineering Research Centre (CSIR), Madras
SHRI K. MANI (<i>Alternate</i>)	
SHRI G. K. MAJUMDAR	Hospital Services Consultancy Corporation (India) Ltd, New Delhi
SHRI S. O. RANGARI (<i>Alternate</i>)	
SHRI M. K. MUKHERJEE	Ministry of Transport, Department of Surface Transport (Roads Wing), New Delhi
SHRI M. K. GHOSH (<i>Alternate</i>)	
MEMBER SECRETARY	Central Board of Irrigation and Power, New Delhi
DIRECTOR (CIVIL) (<i>Alternate</i>)	
SHRI NIRMAL SINGH	Development Commissioner for Cement Industry (Ministry of Industry), New Delhi
SHRI S. S. MIGLANI (<i>Alternate</i>)	
SHRI R. C. PARATE	Engineer-in-Chief's Branch, Army Headquarters, New Delhi
COL R. K. SINGH (<i>Alternate</i>)	
SHRI Y. R. PHULL	Central Road Research Institute (CSIR), New Delhi
SHRI S. S. SEEHRA (<i>Alternate</i>)	
SHRI Y. R. PHULL	Indian Roads Congress, New Delhi
SHRI N. K. SINHA (<i>Alternate</i>)	
DR C. RAJKUMAR	National Council for Cement and Building Materials, New Delhi
DR S. C. AHLUWALIA (<i>Alternate</i>)	
SHRI G. RAMDAS	Directorate General of Supplies and Disposals, New Delhi
SHRI R. C. SHARMA (<i>Alternate</i>)	

(Continued on page 8)

(Continued from page 7)

Members

SHRI S. A. REDDI
SHRI N. PRABHAKAR (*Alternate*)
REPRESENTATIVE
SHRI J. S. SANGANERIA
SHRI L. N. AGARWAL (*Alternate*)
SHRI S. B. SURI
SHRI N. CHANDRASEKARAN (*Alternate*)
SUPERINTENDING ENGINEER (DESIGN)
EXECUTIVE ENGINEER (S. M. R. DIVISION)
(*Alternate*)
SHRI TARWINDER SINGH
SHRI ALOK AGGARWAL (*Alternate*)
DR H. C. VISVESVARAYA
SHRI D. C. CHATTURVEDI (*Alternate*)
SHRI Y. R. TANEJA,
Director (Civ Engg)

Representing

Gammon India Ltd, Bombay
Builder's Association of India, Bombay
Geological Survey of India, Calcutta
Central Soil and Materials Research Station, New Delhi
Public Works Department, Government of Tamil Nadu, Madras
Hindustan Prefab Ltd, New Delhi
The Institution of Engineers (India), Calcutta
Director General, BIS (*Ex-officio Member*)

Secretary

SHRI J. K. PRASAD
Joint Director (Civ Engg), BIS

Fibre Reinforced Cement Products Subcommittee, CED 2 : 3

Convener

DR C. RAJKUMAR

Members

SHRI S. K. BANERJEE
SHRI N. G. BASAK
SHRI P. K. JAIN (*Alternate*)
SHRI S. N. BASU
SHRI T. N. UBOVEJA (*Alternate*)
SHRI S. GANAPATHY
SHRI K. P. GOENKA
SHRI I. P. GOENKA (*Alternate*)
SHRI MOTWANI GURBUX
SHRI H. R. OZA (*Alternate*)
SHRI SRINIVASAN N. IYER
DR V. G. UPADHYAYA (*Alternate*)
JOINT DIRECTOR STANDARDS (B&S)
JOINT DIRECTOR STANDARDS (B&S)
(*Alternate*)
DR KALYAN DAS
SHRI P. S. KALANI
SHRI T. S. SUMMI (*Alternate*)
LT-COL KAMLESH PRAKASH
LT-COL A. K. BANGIA (*Alternate*)
SHRI A. K. LAL
SHRI A. G. DHONGADE (*Alternate*)
SHRI P. N. MEHTA
SHRI V. K. KASLIWAL (*Alternate*)
SHRI V. PATTABHI
SHRI A. K. GUPTA (*Alternate*)
SHRI S. PRAKASH
DR N. RAGHAVENDRA
SHRI RAJ KUMAR
SHRI S. C. KUMAR (*Alternate*)
REPRESENTATIVE
SHRI S. B. SURI
SHRI N. CHANDRASEKARAN (*Alternate*)
SUPERINTENDING SURVEYOR OF WORKS (CZ)
SURVEYOR OF WORKS (CZ) (*Alternate*)
SHRI U. N. VENKATESH
SHRI K. S. RAMAKRISHNAN (*Alternate*)

National Council for Cement and Building Materials, New Delhi

National Test House, Calcutta
Directorate General of Technical Development, New Delhi

Directorate General of Supplies and Disposals, New Delhi

Ramco Industries Limited, Madras
Sarbamangala Industries, Calcutta

All India Small Scale A. C. Pressure Pipe Manufacturer's Association, Hyderabad

Eternit Everest Limited, Bombay

Research Designs and Standards Organization, Lucknow

Central Building Research Institute (CSIR), Roorkee
Kalani Asbestos Cement Pvt Ltd, Indore

Engineer-in-Chief's Branch, Army Headquarters, New Delhi

National Buildings Organization, New Delhi

Geological Survey of India, Calcutta

The Hyderabad Industries Limited, Hyderabad

Municipal Corporation, Delhi
National Council for Cement and Building Materials, New Delhi
Development Commissioner, Small Scale Industries, New Delhi

Indian Institute of Science, Bangalore
Central Soil and Materials Research Station, New Delhi

Central Public Works Department, New Delhi

Shree Digvijay Cement Company Limited, Bombay

Bureau of Indian Standards

BIS is a statutory institution established under the *Bureau of Indian Standards Act, 1986* to promote harmonious development of the activities of standardization, marking and quality certification of goods and attending to connected matters in the country.

Copyright

BIS has the copyright of all its publications. No part of these publications may be reproduced in any form without the prior permission in writing of BIS. This does not preclude the free use, in the course of implementing the standard, of necessary details, such as symbols and sizes, type or grade designations. Enquiries relating to copyright be addressed to the Director (Publications), BIS.

Review of Indian Standards

Amendments are issued to standards as the need arises on the basis of comments. Standards are also reviewed periodically; a standard along with amendments is reaffirmed when such review indicates that no changes are needed; if the review indicates that changes are needed, it is taken up for revision. Users of Indian Standards should ascertain that they are in possession of the latest amendments or edition by referring to the latest issue of 'BIS Handbook' and 'Standards Monthly Additions'.

This Indian Standard has been developed from Doc : No. **CED 2 (4924)**

Amendments Issued Since Publication

Amend No.	Date of Issue	Text Affected

BUREAU OF INDIAN STANDARDS

Headquarters:

Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110002
Telephones : 323 01 31, 323 83 75, 323 94 02

Telegrams : Manaksanstha
(Common to all offices)

Regional Offices :

	Telephone
Central : Manak Bhavan, 9 Bahadur Shah Zafar Marg NEW DELHI 110002	{ 323 76 17 323 38 41
Eastern : 1/14 C. I.T. Scheme VII M, V. I. P. Road, Maniktola CALCUTTA 700054	{ 337 84 99, 337 85 61 337 86 26, 337 91 20
Northern : SCO 335-336, Sector 34-A, CHANDIGARH 160022	{ 60 38 43 60 20 25
Southern : C. I. T. Campus, IV Cross Road, MADRAS 600113	{ 235 02 16, 235 04 42 235 15 19, 235 23 15
Western : Manakalaya, E9 MIDC, Marol, Andheri (East) MUMBAI 400093	{ 832 92 95, 832 78 58 832 78 91, 832 78 92

Branches : AHMADABAD. BANGALORE. BHOPAL. BHUBANESHWAR.
COIMBATORE. FARIDABAD. GHAZIABAD. GUWAHATI. HYDERABAD.
JAIPUR. KANPUR. LUCKNOW. PATNA. THIRUVANANTHAPURAM.