

X

इंटरनेट

Disclosure to Promote the Right To Information

Whereas the Parliament of India has set out to provide a practical regime of right to information for citizens to secure access to information under the control of public authorities, in order to promote transparency and accountability in the working of every public authority, and whereas the attached publication of the Bureau of Indian Standards is of particular interest to the public, particularly disadvantaged communities and those engaged in the pursuit of education and knowledge, the attached public safety standard is made available to promote the timely dissemination of this information in an accurate manner to the public.

"जानने का अधिकार, जीने का अधिकार" Mazdoor Kisan Shakti Sangathan "The Right to Information, The Right to Live"

"पुराने को छोड नये के तरफ" Jawaharlal Nehru "Step Out From the Old to the New"

मानक

IS 2098 (1997): Asbestos cement building boards - [CED 53: Cement Matrix Products]





51111111

Made Available By Public.Resource.Org



"ज्ञान से एक नये भारत का निर्माण″ Satyanarayan Gangaram Pitroda "Invent a New India Using Knowledge"

"ज्ञान एक ऐसा खजाना है जो कभी चुराया नहीं जा सकता Bhartrhari-Nītiśatakam "Knowledge is such a treasure which cannot be stolen"





BLANK PAGE



PROTECTED BY COPYRIGHT

भारतीय मानक एसबेस्टॉस सीमेंट बिल्डिंग बोर्ड — विशिष्टि *(पहला पुनरीक्षण)*

Indian Standard ASBESTOS CEMENT BUILDING BOARDS — SPECIFICATION

(First Revision)

ICS 91.100.40

© BIS 1997

BUREAU OF INDIAN STANDARDS MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG NEW DELHI 110002

Price Group 3

FOREWROD

This Indian Standard (First Revision) was adopted by the Bureau of Indian Standards, after the draft finalized by the Cement Matrix Products Sectional Committee had been approved by the Civil Engineering Division Council.

Asbestos cement building boards are mainly used as interior fittings where no load or little load comes on them such as partitions, furniture and Dado work.

Asbestos cement building boards are different from:

- a) Asbestos cement flat sheets (water cured or humid cured) intended for external use conforming to IS 2096: 1992 'Specification for asbestos cement flat sheet'.
- b) Silica asbestos cement flat sheets conforming to IS 13000 : 1990 'Specification for shallow corrugated asbestos cement sheets'.

This is the first revision of the standard which was originally published in 1964. In this revision, besides incorporating the amendments already issued, all the tests have been aligned with the methods given in IS 5913 : 1989 'Methods of tests for asbestos cement products'. Modifications have also been done to refer latest versions of referred standards.

The technical committees responsible for formulation of this standard is given in Annex B.

For the purpose of deciding whether a particular requirement of this standard is complied with the final value, observed or calculated, expressing the result of test or analysis shall be rounded off in accordance with IS 2:1960 'Rules for rounding off numerical values (*revised*)'. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

Indian Standard ASBESTOS CEMENT BUILDING BOARDS — SPECIFICATION

(First Revision)

1 SCOPE

This standard specifies the requirements regarding composition, dimensions and tests of asbestos cement building boards. Asbestos cement flat sheets and silica asbestos cement flat sheets which are different, are not covered in this standard.

2 REFERENCES

The Indian Standards listed in Annex A are necessary adjuncts to this standard.

3 COMPOSITION

Asbestos cement building boards shall be made from a thorough and homogenous mixture of ordinary Portland cement, grade 33 conforming to IS 269 or ordinary Portland cement, grade 43 conforming to IS 8112 or ordinary Portland cement, grade 53 conforming to IS 12269 or rapid hardening Portland cement conforming to IS 8041, Portland slag cement conforming to IS 455, Portland pozzolana cement conforming to either IS 1489 (Part 1) or IS 1489 (Part 2) and Asbestos fibre to which other suitable fibres may be added. Pozzolanic materials, fillers and pigments which are compatible with Asbestos cement may be added.

4 COLOURING MATTER

The boards may be left in their natural colour or colouring matter may be added in the composition. They may receive coloured or uncoloured coatings on their surface. Pigments which are embodied in Asbestos cement for colouring purposes shall be of permanent colour and shall conform to the relevant Indian Standards. For guidance in ascertaining the colour and staining power of the pigments, IS 5913 may be referred to.

5 CLASSIFICATION

Asbestos cement building boards shall be of three classes namely, Class A, Class B and Class C, conforming to the dimensions given in Table 1.

Table	1	Dimensions of Asbestos Cement				
Building Boards						
		(Clauser 5 71 and 82)				

lass of Board	Length	Width	Thickness
	mm	mm	mm
(1)	(2)	(3)	(4)
А	2 440	1 220	6
	(2 400)	(1 200)	
	1 830		
	(1800)		
	1 220		
	(1 200)		
В	2 440	1 220	5
	(2 400)	(1 200)	
	1 830		
	(1 800)		
	1 220		
	(1 200)		
С	2 440	1 220	4
	(2 400)	(1 200)	
	1 830		
	(1 800)		
	1 220		
	$(1\ 200)$		

NOTE — By mutual agreement between the purchaser and the manufacturer the boards may be supplied in dimensions other than specified in Table 1.

6 GENERAL APPREARANCE AND FINISH

The finished product when delivered, shall be free from visible defects that impair its appearance or serviceability. The surface of the boards shall be of uniform texture and shall have atleast one smooth surface. They shall be flat, rectangular and shall have neatly trimmed straight and regular edges and shall be square at the corners.

7 TOLERANCES

7.1 Tolerances on Length and Width

Asbestos cement building boards shall not vary from

IS 2098 : 1997

the nominal dimensions for length and width specified in Table 1 by more than ± 5 mm.

7.2 Tolerance on Thickness

From 3 mm to 5 mm $-\pm 0.5$ mm From 6 mm and above $-\pm 0.1e$ mm (± 10 percent)

where 'e' is nominal thickness of board.

8 TESTS

8.1 The samples of boards taken as described in 9 and tested for the various characteristics shall conform to the requirements specified in **8.2** to **8.4**.

8.2 Load Bearing Capacity Test

When tested in accordance with IS 5913 the average breaking load of two specimens taken from the same board shall be not less than 20 kg for Class A boards and 15 kg for Class B and Class C boards. Further, the breaking load of either of the specimens shall not be less than 15 kg for Class A boards and 10 kg for Class B and Class C boards.

8.3 Measurement of Thickness

The average thickness of the sheet when measured at three points at each end of the sheet approximately 20 mm from the edge by means of a metal plate gauge having diameter not less than 9 mm and reading to 0.1 mm shall correspond to the nominal thickness and the tolerance specified in Table 1 and 7.1 respectively.

8.4 Water Absorption Test

When tested in accordance with IS 5913 the amount of water absorbed by the specimen shall not exceed 40 percent of its dry weight.

9 SAMPLING

The sampling, inspection and acceptance shall be in accordance with IS 7639. Unless otherwise agreed to between the manufacturer and the purchaser, the maximum and minimum inspection lots shall be 3 000 and 400 sheets respectively.

10 MANUFACTURER'S CERTIFICATE

The manufacturer shall satisfy himself that the boards conform to the requirements of this standard and, if required, shall furnish a certificate to this effect to the purchaser or his representative clearly stating class of the board.

11 MARKING

Each board shall be stamped or marked by any suitable method on non weathering side with the following information:

- a) Class of board;
- b) Identification of source of manufacture;
- c) Nominal thickness of board; and
- d) Pictorial warning sign as gir in in IS 12081 (Part 2).

11.2 BIS Certification Marking

The product may also be marked with Standard Mark.

11.2.1 The use of Standard Mark is governed by the provision of the *Bureau of Indian Standards Act*, 1986 and the Rules and Regulations made thereunder. The details of conditions under which the licence for the use of Standard Mark may be granted to manufacturers or producers may be obtained from the Bureau of Indian Standards.

ANNEX A

(Clause 2)

LIST OF REFERRED INDIAN STANDARDS

IS No.	Title	IS No.	Title	
269 : 1989	Specification for 33 grade ordinary Portland cement (<i>fourth</i>	8041 : 1990	Specification for rapid hardening Portland cement (<i>first revision</i>)	
455 : 1989	revision) Specification for Portland slag cement (<i>fourth revision</i>)	8112 : 1989	Specification for 43 grade ordinary Portland cement (<i>first</i> <i>revision</i>)	
1489	Specification for Portland pozzolana cement:	11769 (Part 1) : 1987	Guidelines for safe use of products containing asbestos Part 1 Asbestos cement products	
(Part 1) : 1991	Flyash based (third revision)			
(Part 2) : 1991	Calcined clay based (third revision)	12081 (Part 2) : 1987	Recommendations for pictorial warning signs and precautionary notices for asbestos and products containing asbestos : Part 2 Asbes- tos and its products	
5913 : 1989	Methods of test for asbestos cement products (<i>first revision</i>)			
7639 : 1975	Methods of sampling of asbestos cement products	12269 : 1987	Specification for 53 grade ordi- nary Portland cement	

ANNEX B

(Foreword)

COMMITTEE COMPOSITION

Cement Matrix Products Sectional Committee, CED 53

Chairman

SHRI S. A. REDDI

Members

SHRI K. H. GANGWAL SHRI V. PATTABHI (Alternate) DR C. RAJKUMAR SHRI H. K. JULKA (Alternate) SHRI R. SUBRAMANIAM SHRI K. P. ABRAHAM (Alternate) SHRI P. S. ROY DR A. S. GOYAL (Alternate) JOINT DIRECTOR STANDARDS (B&S) CB II ASSISTANT DESIGN ENGINEER (CS-I) (Alternate) SHRI D. K. KANUNGO SHRI T. CHOUDHURY (Alternate) SHRI C. H. SUBRAMANIAN SHRI A. DUTTA (Alternate) DR IRSAD MASCOD SHRI S. P. TEHRI (Alternate) SHRI O. P. AGARWAL SHRI J. L. DHINGRA (Alternate) SHRI P. S. KALANI SHRI N. KISHAN REDDY (Alternate) SHRI P. D. KELKAR SHRI P. R. C. NAIR (Alternate) SHRI G. S. SHIRALKAR SHRI A.V. GOGTE (Alternate) SHRI A. K. CHADHA SHRI J. R. SIL (Alternate) SHRI S. HARIRAMASAMY

DR V. S. PARAMESWARAN SHRI A. K. MANI (*Alternate*) CHIEF ENGINEER DEPUTY CHIEF ENGINEER (*Alternate*) SHRI S. P. RASTOGI SHRI G. R. BHARITKAR COL (RETD) D. V. PADSALGIKAR (*Alternate*) SHRI B. V. B. PAI SHRI M. G. DANDWATE (*Alternate*) SHRI M. A. AZEEZ SHRI P. D. GAIKAWAD (*Alternate*) SHRI K. SRIVASTAVA SHRI VINOD KUMAR Director (Civ Engg) Representing

Gammon India Ltd, Mumbai

Hyderabad Industries Ltd, Sanatnagar

National Council for Cement and Building Materials, New Delhi

Central Public Works Department, New Delhi

Engineer-in-Chief's Branch, Army Headquarters, New Delhi

Research, Design and Standards Organization, Lucknow

National Test House, Calcutta

Small Scale Industries, New Delhi

Central Building Research Institute, Roorkee

Municipal Corporation of Delhi, Delhi

All India Small Scale, A. C. Pressure Pipes Manufacturers Association, Hyderabad

Indian Hume Pipe Co Ltd. Mumbai

Spun Pipes Manufacturers Association of Maharashtra (SSI), Pune

Hindustan Prefab Ltd, New Delhi

Tamil Nadu Water Supply and Drainage Board, Chennai Structural Engineering Research Centre, Madras

Municipal Corporation of Greater Bombay, Mumbai

Federation of UP Pipe Manufacturers, Lucknow B. G. Shirke Construction Technology Private Ltd, Punc

The Associated Cement Companies Ltd, Thane

Rural Electrification Corporation Ltd, New Delhi

Eternit Everest Ltd, Mumbai Director General, BIS (*Ex-officio Member*)

Member Secretary SHRI J. K. PRASAD Additional Director (Civ Engg), BIS

(Continued on page 5)

(Continued from page 4)

Fibre Reinforced Cement Products Subcommittee, CED 53:1

Convener

Dr C. Rajkumar

Members

DR N. RAGHAVENDRA Shri Srinivasan N. Iyer DR V. B. UPADHYAYA (Alternate) Shri V. Pattabhi SHRI A. K. GUPTA (Alternate) SUPERINTENDING ENGINEER (TADC) EXECUTIVE ENGINEER (TADC) (Alternate) COL V. K. SAWHNEY LT-COL R. L. KRIRE (Alternate) SHRI U. N. VENKATESH SHRI K. S. RAMAKRISHANAN (Alternate) JOINT DIRECTOR STANDARDS (B&S) / CB-I JOINT DIRECTOR STANDARDS (B&S) CB-1 (Alternate) SHRI S. GANAPATHY Shri N. G. Bhasak SHRI P. K. JAIN (Alternate) SHRI S. K. BANERJEE Shri K. P. GOENKA SHRI I. P. GOENKA (Alternate) Shri Raj Kumar SHRI S. C. KUMAR (Alternate) Dr Kalyan Das SHRI R. S. RAWAT (Alternate) SHRI P. S. KALANI SHRI T. S. SUMMI (Alternate) Shri P. L. Jain SHRI M. M. JAIN (Alternate) SHRI P. N. MEHTA SHRI V. K. KASLIWAL (Alternate) SHRI S. N. BASU SHRI T. N. UBOVEJA (Alternate) SHRI S. PRAKASH Shri P. S. Kalani SHRI N. KRISHAN REDDI (Alternate) SHRI S. B. SURI

Shri N. Chandrasekaran (Alternate)

Representing

National Council for Cement and Building Materials, New Delhi

National Council for Cement and Building Materials, New Delhi Eternit Everest Ltd, New Delhi

The Hyderbad Industries Ltd, Hyderabad

Central Public Works Department, New Delhi

Engineer-in-Chief's Branch, New Delhi

Shree Digvijay Cement Co Ltd, Ahmadabad

Research, Design and Standards Organization, Lucknow

Ramco Industries Ltd, Chennai Directorate General of Technical Developent, New Delhi

National Test House, Calcutta Sabarmangala Industries, Calcutta

Development Commissioner, Small Scale Industries. New Delhi

Central Building Research Institute, Roorkee

Kalani Asbestos Cement Private Ltd, Indore

Jain Trading Corporation, Kota

Geological Survey of India, Jaipur

Directorate General of Supplies and Disposals, New Delhi

Delhi Water Supply & Sewage Disposals Undertaking. New Delhi Kalani Industries Private Ltd. Secunderabad

Central Soil & Materials Research Station, New Delhi

Bureau of Indian Standards

BIS is a statutory institution established under the *Bureau of Indian Standards Act*, 1986 to promote harmonious development of the activities of standardization, marking and quality certification of goods and attending to connected matters in the country.

Copyright

BIS has the copyright of all its publications. No part of these publications may be reproduced in any form without the prior permission in writing of BIS. This does not preclude the free use, in the course of implementing the standard, of necessary details, such as symbols and sizes, type or grade designations. Enquiries relating to copyright be addressed to the Director (Publications), BIS.

Review of Indian Standards

Amendments are issued to standards as the need arises on the basis of comments. Standards are also reviewed periodically; a standard along with amendments is reaffirmed when such review indicates that no changes are needed; if the review indicates that changes are needed, it is taken up for revision. Users of Indian Standards should ascertain that they are in possession of the latest amendments or edition by referring to the latest issue of 'BIS Handbook' and 'Standards : Monthly Additions'.

This Indian Standard has been developed from Doc : No. CED 53 (5184).

Amendments Issued Since Publication

Amend No.	Date of Issue	Text Affected
	· .	

BUREAU OF INDIAN STANDARDS

Headquarters:

Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110002 Telephones : 323 01 31, 323 94 02, 323 33 75	Telegrams: Manaksanstha (Common to all offices)	
Regional Offices:	Telephone	
Central : Manak Bhavan, 9 Bahadur Shah Zafar Marg NEW DELHI 110002	323 76 17 323 38 41	
Eastern : 1/14 C. I. T. Scheme VII M, V. I. P. Road, Maniktola CALCUTTA 700054	337 84 99, 337 85 61 337 86 26, 337 86 62	
Northern : SCO 335-336, Sector 34-A, CHANDIGARH 160022	$\left\{\begin{array}{c} 60 \ 38 \ 43 \\ 60 \ 20 \ 25 \end{array}\right.$	
Southern : C. I. T. Campus, IV Cross Road, CHENNAI 600113	235 02 16, 235 04 42 235 15 19, 235 23 15	
Western : Manakalaya, E9 MIDC, Marol, Andheri (East) MUMBAI 400093	<pre></pre>	

Branches : AHMADABAD. BANGALORE. BHOPAL. BHUBANESHWAR. COIMBATORE. FARIDABAD. GHAZIABAD. GUWAHATI. HYDERABAD. JAIPUR. KANPUR. LUCKNOW. NAGPUR. PATNA. PUNE. THIRUVANANTHAPURAM.

Printed at New India Printing Press, Khurja, India