

इंटरनेट

मानक

Disclosure to Promote the Right To Information

Whereas the Parliament of India has set out to provide a practical regime of right to information for citizens to secure access to information under the control of public authorities, in order to promote transparency and accountability in the working of every public authority, and whereas the attached publication of the Bureau of Indian Standards is of particular interest to the public, particularly disadvantaged communities and those engaged in the pursuit of education and knowledge, the attached public safety standard is made available to promote the timely dissemination of this information in an accurate manner to the public.

“जानने का अधिकार, जीने का अधिकार”

Mazdoor Kisan Shakti Sangathan

“The Right to Information, The Right to Live”

“पुराने को छोड़ नये के तरफ”

Jawaharlal Nehru

“Step Out From the Old to the New”

IS 7779-2-3 (1979): Schedule for Properties and Availability of Stones for Construction Purposes, Part II: Maharashtra State, Section 3: Engineering Properties of Stone Aggregates [CED 6: Stones]



“ज्ञान से एक नये भारत का निर्माण”

Satyanarayan Gangaram Pitroda

“Invent a New India Using Knowledge”



“ज्ञान एक ऐसा खजाना है जो कभी चुराया नहीं जा सकता है”

Bhartrhari—Nitiśatakam

“Knowledge is such a treasure which cannot be stolen”

BLANK PAGE



Indian Standard

**SCHEDULE FOR PROPERTIES AND
AVAILABILITY OF STONES FOR
CONSTRUCTION PURPOSES**

PART II MAHARASHTRA STATE

Section 3 Engineering Properties of Stone Aggregates

UDC 553.5.06 (547.1) : 691.21



© Copyright 1979

**INDIAN STANDARDS INSTITUTION
MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG
NEW DELHI 110002**

Price Rs 5-00

Gr 2

July 1979

Indian Standard

SCHEDULE FOR PROPERTIES AND AVAILABILITY OF STONES FOR CONSTRUCTION PURPOSES

PART II MAHARASHTRA STATE

Section 3 Engineering Properties of Stone Aggregates

Stones Sectional Committee, BDC 6

Chairman

SHRI B. RAMACHANDRAN

Representing

Geological Survey of India, Calcutta

Members

SHRI S. R. PRADHAN (*Alternate* to
Shri B. Ramachandran)

SHRI K. K. AGRAWALA

Builders' Association of India, Bombay

SHRI K. K. MADHOK (*Alternate*)

SHRI R. K. BANSAL

Delhi Marble Dealers' Association, New Delhi

SHRI J. K. CHARAN

Engineer-in-Chief's Branch (Ministry of Defence)

SHRI K. KAMLANATHAN (*Alternate*)

CHIEF ARCHITECT

Central Public Works Department, New Delhi

CHIEF ENGINEER (B & R)

Public Works Department, Government of
Rajasthan, Jaipur

SHRI G. C. DAS

National Test House, Calcutta

SHRI P. R. DAS (*Alternate*)

SHRI Y. N. DAVE

Department of Geology & Mining, Government of
Rajasthan, Udaipur

SHRI R. G. GUPTA (*Alternate*)

DEPUTY DIRECTOR (RESEARCH),
CONTROL & RESEARCH
LABORATORY

Public Works Department, Government of Orissa,
Bhubaneswar

DEPUTY DIRECTOR (RESEARCH),
PWD RESEARCH INSTITUTE

Public Works Department, Government of Uttar
Pradesh, Lucknow

DR M. P. DHIR

Central Road Research Institute (CSIR), New
Delhi

DR N. B. LAL (*Alternate*)

DIRECTOR (CSMRS)

Central Water Commission, New Delhi

DEPUTY DIRECTOR (CSMRS) (*Alternate*)

DIRECTOR, GERI

Public Works Department, Government of Gujarat,
Vadodra

(Continued on page 2)

© Copyright 1979

INDIAN STANDARDS INSTITUTION

This publication is protected under the *Indian Copyright Act* (XIV of 1957), and reproduction in whole or in part by any means except with written permission of the publisher shall be deemed to be an infringement of copyright under the said Act.

(Continued from page 1)

Members

DIRECTOR, MERI

RESEARCH OFFICER, MATERIAL
TESTING DIVISION, MERI
(Alternate)

SHRI M. K. GUPTA
DR IQBAL ALI

SHRI A. B. LINGAM (Alternate)

SHRI P. J. JAGUS
SHRI R. C. JAIN
SHRI PREM SWARUP

SHRI A. K. AGARWAL (Alternate)

DR A. V. R. RAO

SHRI J. SEN GUPTA (Alternate)

SUPERINTENDING ENGINEER
(DESIGNS)

SUPERINTENDING ENGINEER
(DESIGNS)

DEPUTY CHIEF ENGINEER
(I & D) (Alternate)

SUPERINTENDING ENGINEER
(DESIGNS & PLANNING)

SUPERINTENDING ENGINEER
(PLANNING CIRCLE)

SUPERINTENDING SURVEYOR OF
WORKS

SHRI D. AJITHA SIMHA,
Director (Civ Engg)

Representing

Irrigation & Power Department, Government of
Maharashtra, Bombay

Himalayan Tiles and Marble Pvt Ltd, Bombay
Engineering Research Laboratories, Government of
Andhra Pradesh, Hyderabad

Institution of Engineers (India), Calcutta
Ministry of Shipping & Transport (Roads Wing)
Department of Geology & Mining, Government of
Uttar Pradesh, Lucknow

National Buildings Organization, New Delhi

Public Works & Electricity Department, Govern-
ment of Karnataka, Bangalore

Public Works Department, Government of Tamil
Nadu, Madras

Public Works Department, Government of Andhra
Pradesh, Hyderabad

Public Works Department, Government of West
Bengal, Calcutta

Public Works Department, Government of
Himachal Pradesh, Simla

Director General, ISI (Ex-officio Member)

Secretary

SHRI S. SENGUPTA

Assistant Director (Civ Engg), ISI

Indian Standard
**SCHEDULE FOR PROPERTIES AND
AVAILABILITY OF STONES FOR
CONSTRUCTION PURPOSES**

PART II MAHARASHTRA STATE

Section 3 Engineering Properties of Stone Aggregates

0. FOREWORD

0.1 This Indian Standard (Part II/Section 3) was adopted by the Indian Standards Institution on 30 January 1979, after the draft finalized by the Stones Sectional Committee had been approved by the Civil Engineering Division Council.

0.2 Stones are available in large quantities in different parts of the country. To choose and utilize them for various uses, it is necessary to know their availability as well as their various physical properties. Accordingly this Indian Standard is formulated to cover these information. It is hoped that with the publication of this standard it will be convenient for the users to know the location of various types of stones, and it will also act as a guide for their proper selection depending upon their particular use. This standard will give a general information for prospective builders who use stone and stone aggregates. The final acceptance of these materials in any work would, however, be subject to the physical standards and other specification and quality control requirements stipulated for individual works.

0.2.1 This standard will be published in parts, each part covering a State. For facility in compilation and use of the standard, each part is divided into three sections. Accordingly Part II covers Maharashtra State and is being issued in three sections. Section 1 gives information on the availability of stones in the form of map showing geological classification and location of known stones quarries; Section 2 covers engineering properties of building stones; and Section 3 covers engineering properties of stone aggregates.

0.3 The information contained in this section is based on the data provided by the Engineering Research Institute, Maharashtra State and covers data collected up to the end of 1978. Further information, as and when received, will be added as amendment to this standard.

IS : 7779 (Part II/Sec 3) - 1979

0.4 In reporting the results of a test or analysis made in accordance with this standard, if the final value, observed or calculated, is to be rounded off, it shall be done in accordance with IS : 2-1960*.

1. SCOPE

1.1 This standard (Part II/Section 3) covers the engineering properties of stone aggregates of Maharashtra State.

2. TEST RESULTS

2.1 The results of stone aggregates tested for some of the important properties according to relevant Indian Standards are given in Table 1.

*Rules for rounding off numerical values (*revised*).

TABLE 1 SCHEDULE OF CHARACTERISTICS OF STONE AGGREGATES — MAHARASHTRA STATE

(Clause 2.1)

Sl. No.	LOCATION	TYPE OF AGGREGATE	SPECIFIC GRAVITY IS : 2386 (PART III)- 1963*	APPARENT SPECIFIC GRAVITY IS : 2386 (PART III)- 1963*	WATER ABSORPTION % IS : 2386 (PART III)- 1963*	CRUSHING VALUE % IS : 2386 (PART IV)- 1963†	LOAD REQUIRED FOR TEN PER CENT FINES (2.36 mm) IS : 2386 (PART IV)- 1963‡	IMPACT VALUE % IS : 2386 (PART IV)- 1963†	ABRASION VALUE % IS : 2386 (PART IV)- 1963†	SOUNDNESS BY Na ₂ SO ₄ % LOSS IS : 2386 (PART V)- 1963‡ (10 CYCLES)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1.	Ahmednagar Bhandardara	Greyish black fine medium grained moderately weathered basalt few amygdaloids of zeolites present	2.63	2.99	4.49	22.40	—	15.80	18.00	39.30
2.	Aurangabad Hashangate quarry	Medium grained basalt	2.61	2.92	4.07	25.20	—	23.20	35.10	6.90
	Aurangabad-Nagpur Road, 7 Miles from Aurangabad	Fine grained amygdaloidal prophyritic basalt	2.59	2.97	5.00	21.00	—	19.30	24.10	75.80
3.	Bombay Andheri	Medium grained basalt	2.97	3.08	1.28	14.70	—	10.40	11.00	1.70
4.	Osmanabad Osmanabad quarry	Fine grained basalt	2.96	3.02	0.73	11.00	—	5.70	12.40	1.30
5.	Sangli Birnal quarry	Fine grained amygdaloidal basalt	2.91	3.06	1.68	11.50	—	9.10	10.60	0.10
	Sidhewadi quarry	Fine grained basalt	2.92	3.03	1.30	10.60	—	7.20	9.50	2.10
	Tasgaon quarry	Fine grained prophyritic basalt	2.84	3.04	2.40	13.50	—	8.20	14.60	2.30
6.	Yeotmal Umarkhed quarry	Fine grained compact basalt	2.87	2.97	1.17	13.00	—	9.50	8.70	0.70
	Woni quarry	Medium grained sandstone	2.20	2.52	5.73	44.40	4 tonnes	50.90	57.60	27.10

*Method of test for aggregates for concrete: Part III Specific gravity, density, voids, absorption and bulking.

†Method of test for aggregates for concrete: Part IV Mechanical properties.

‡Method of test for aggregates for concrete: Part V Soundness.

INDIAN STANDARDS ON TESTING OF STONES

IS:

- 1121 (Parts I to IV)-1974 Method of test for determination of strength properties of natural building stones
- 1122-1974 Method of test for determination of the specific gravity of natural building stones (*first revision*)
- 1123-1974 Method of identification of natural building stones (*first revision*)
- 1124-1974 Method of test for determination of water absorption apparent specific gravity and porosity of natural building stones (*first revision*)
- 1125-1974 Method of test for determination of weathering of natural building stones (*first revision*)
- 1126-1974 Method of test for determination of durability of natural building stones (*first revision*)
- 1706-1972 Method for determination of resistance to wear by abrasion of natural building stones (*first revision*)
- 4121-1967 Method of test for determination of water transmission rate by capillary action through natural stones
- 4122-1967 Method of tests for surface softening of natural building stones for exposure to acidic atmospheres
- 4348-1973 Method of test for determination of permeability of natural building stones (*first revision*)
- 5218-1969 Method of test for toughness of natural building stones
- 5640-1970 Method of test for determining the aggregate impact value of soft coarse aggregates
- 6241-1971 Method of test for determination of stripping value of road aggregates
- 7779 (Part I/Sec 1)-1975 Schedule of properties and availability of stones for construction purposes : Part I Gujarat State, Section 1 Availability of stones

INDIAN STANDARDS INSTITUTION

Manak Bhavan, 9 Bahadur Shah Zafar Marg, NEW DELHI 110002

Telephones : 27 01 31, 26 60 21

Telegrams : Manaksanstha

Regional Offices :

Western : Novelty Chambers, Grant Road
 Eastern : 5 Chowringhee Approach
 Southern : C.I.T. Campus, Adyar

	Telephone
BOMBAY 400007	37 97 29
CALCUTTA 700072	23-08 02
MADRAS 600020	41 24 42

Branch Offices :

Pushpak, Nurmohamed Shaikh Marg, Khanpur
 F Block, Unity Bldg, Narasimharaja Square
 Gangotri Complex, Bhadbhada Road, T.T. Nagar
 22E Kalpana Area
 Ahimsa Bldg, SCO 82-83, Sector 17C
 5-8-56/57 L. N. Gupta Marg
 D-277 Todermal Marg, Banipark
 117/418 B Sarvodaya Nagar
 B.C.I. Bldg (3rd Floor), Gandhi Maldan East
 Hantex Bldg (2nd Floor), Rly Station Road

AHMADABAD 380001	2 03 91
BANGALORE 560002	2 76 49
BHOPAL 462003	6 27 16
BHUBANESHWAR 751014	5 36 27
CHANDIGARH 160071	2 83 20
HYDERABAD 500001	22 10 83
JAIPUR 302006	6 98 32
KANPUR 208005	8 12 72
PATNA 800004	5 36 55
TRIVANDRUM 695001	32 27