

इंटरनेट

मानक

Disclosure to Promote the Right To Information

Whereas the Parliament of India has set out to provide a practical regime of right to information for citizens to secure access to information under the control of public authorities, in order to promote transparency and accountability in the working of every public authority, and whereas the attached publication of the Bureau of Indian Standards is of particular interest to the public, particularly disadvantaged communities and those engaged in the pursuit of education and knowledge, the attached public safety standard is made available to promote the timely dissemination of this information in an accurate manner to the public.

“जानने का अधिकार, जीने का अधिकार”

Mazdoor Kisan Shakti Sangathan

“The Right to Information, The Right to Live”

“पुराने को छोड़ नये के तरफ”

Jawaharlal Nehru

“Step Out From the Old to the New”

IS 7834-7 (1987): injection moulded PVC socket fittings with solvent cement joints for water supplies, Part 7: Specific requirements for unions [CED 50: Plastic Piping System]



“ज्ञान से एक नये भारत का निर्माण”

Satyanarayan Gangaram Pitroda

“Invent a New India Using Knowledge”



“ज्ञान एक ऐसा खजाना है जो कभी चुराया नहीं जा सकता है”

Bhartrhari—Nitiśatakam

“Knowledge is such a treasure which cannot be stolen”

BLANK PAGE



Indian Standard

SPECIFICATION FOR INJECTION MOULDED PVC SOCKET FITTINGS WITH SOLVENT CEMENT JOINTS FOR WATER SUPPLIES

PART 7 SPECIFIC REQUIREMENTS FOR UNIONS

(First Revision)

1. Scope — This standard (Part 7) laid down the requirements for manufacture, dimensions, tolerances and marking for union made of injection moulded PVC for water supplies.

2. Requirements

2.1 General — The general requirements for material, manufacture, methods of test, sampling and inspection shall conform to IS : 7834 (Part 1)-1987 Specification for injection moulded PVC socket fittings with solvent cement joints for water supplies: Part 1 General requirement (*first revision*).

2.2 Manufacture

2.2.1 A typical illustration of union is shown in Fig. 1.

2.2.2 Laying length — The laying length Z and the tolerance thereon shall comply with those given in Table 1 read with Fig. 1.




FIG. 1 UNION

TABLE 1 DIMENSIONS FOR LAYING LENGTH OF UNION

Size mm	Union Laying Length mm
16	13.5 ± 1
20	13.5 ± 1
25	$13.5 + 1.2$ - 1
32	$13.5 + 1.6$ - 1
40	$15 + 2$ - 1
50	$17 + 2.5$ - 1
63	$21 + 3.2$ - 1

Adopted 7 December 1987

© June 1988, BIS

Gr 1

IS : 7834 (Part 7) - 1987

2.2.3 The inside diameter of the socket and the length shall comply with those given in IS : 7834 (Part 1)-1987.

3. Marking — Each union fitting shall be marked with the following information:

- a) manufacturer's name or identification mark, and
- b) size of the fitting and the appropriate class (working pressure) to which the pressure rating of the fitting corresponds.

3.1 Standard Mark — Details available with the Bureau of Indian Standards.

EXPLANATORY NOTE

The requirements of injection moulded PVC socket fittings are covered in eight parts. The other parts are as follows:

- Part 1 General requirements
- Part 2 Specific requirements for 45° elbows
- Part 3 Specific requirements for 90° elbows
- Part 4 Specific requirements for 90° tees
- Part 5 Specific requirements for 45° tees
- Part 6 Specific requirements for sockets
- Part 8 Specific requirements for caps

This standard was first published in 1975. The present revision has been taken up to align the standard with revision of Part 1 of the standard.